

To / 致:

Company / 公司: Anhui Daheng Energy
Technology Co., Ltd. / 安徽大恒
能源科技有限公司

Contact / 联系人: Mr. Chengyin Jiang

Email / 邮箱: jiangchengyin@dhsolar.cn

From / 自:

Company / 公司: TÜV NORD (HANGZHOU)
CO., LTD. / 杭州汉德质量认
证服务有限公司

Contact / 联系人: Ms. Miley Li / 李文颖 女士

Email / 邮箱: wli@tuv-nord.com

Subject: Announcement of cancellation

主题: 证书取消通知

File No.: PVP04006/21P-03

项目号:

License holder: Anhui Daheng Energy Technology Co., Ltd.

持证人: 安徽大恒能源科技有限公司

Certificate No.: 44 780 22 406749 - 028

证书号:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

产品: 晶硅光伏组件

Herewith it is declared, that the above noted certificate(s) has (have) been invalidated since 2023-04-03.
特此声明, 上述证书自 2023 年 4 月 3 日起失效。

The cancellation is due to:

取消原因:

License holder applied for cancellation.

持证人申请取消。

New certificate(s) (no: 44 780 22 406749 - 028R1M1) has (have) been issued to replace the cancelled one(s).

新证书(证书号: 44 780 22 406749 - 028R1M1)签发, 取代旧证书。

After the expiry date of the certificate(s), the certificate(s) has (have) not been renewed within 6 months.

证书到期 6 个月内未续证。

After the expiry date of last factory inspection conclusion, no factory inspection has been conducted or no payment of annual fees has been received within 6 months.

上一厂检结论有效期到期后, 6 个月内未配合厂检或未支付年度费用。

No payment of annual fees has been received within 6 month after last period of payment of annual fees.

上一证书年费支付期后, 超过 6 个月未支付证书年费。

Others: _____

其他情况: _____

Please pay attention to stop using the invalid certificate(s) from 2023-04-03. Meanwhile, please send back the original copies of above mentioned certificate(s) to us.

请注意从 2023 年 4 月 3 日开始停止使用无效证书。同时, 请将上述证书原件寄回给我们。

TÜV NORD reserved the right of final explanation about the cancellation of certificate(s). TÜV NORD will not take any responsibility for the circumstance of misusing the invalid certificate(s) by the license holder or the manufacturer.

TÜV NORD 保留对证书取消的最终解释权。TÜV NORD 对证书持有者或制造商滥用无效证书的情况不承担任何责任。

Renewable Energy / 可再生能源

TÜV NORD (Hangzhou) Co., Ltd. / 杭州汉德质量认证服务有限公司

Miley Li / 李文颖

Technical Support / 技术支持



CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Anhui Daheng Energy Technology Co., Ltd.
No.01, Yaoyuan Road, Luyang District,
Hefei City, Anhui Province,
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules



Valid from: 2023-04-03

Valid until: 2027-02-17

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC / EN 61215-1:2016; IEC / EN 61215-1-1:2016; IEC 61215-2:2016 / EN 61215-2:2017 + AC:2017 + AC:2018; IEC 61730-1:2016 / EN IEC 61730-1:2018 + AC:2018; IEC 61730-2:2016 / EN IEC 61730-2:2018 + AC:2018.
Registered No.:	44 780 22 406749 - 028R1M1
Manufacturer:	see Annex 1
Test Report No.:	492011902.002
File No.:	PVP11054/22P-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2023-04-03

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 22 406749 - 028R1M1

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: PVP11054/22P-01

2023-04-03

Manufacturer:

Manufacturer: **Anhui Daheng Energy Technology Co., Ltd.**
No.01, Yaoyuan Road, Luyang District,
Hefei City, Anhui Province, P.R. China

Factory inspection report no.: 862010588.002

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

Double Glass PV Modules with 182mm Mono-crystalline Silicon Half-Cut Bifacial Solar Cells:

144 cells: DHM-72X10/DG-xxxW (xxx = 530 - 545, in increment of 5)

144 cells: DHM-72X10/DG(BW)-xxxW (xxx = 530 - 545, in increment of 5)

144 cells: DHM-72X10/DG(BB)-xxxW (xxx = 530 - 545, in increment of 5)

144 cells: DHM-72X10/DG/FS-xxxW (xxx = 530 - 545, in increment of 5)

144 cells: DHM-72X10/DG/FS(BW)-xxxW (xxx = 530 - 545, in increment of 5)

144 cells: DHM-72X10/DG/FS(BB)-xxxW (xxx = 530 - 545, in increment of 5)

132 cells: DHM-66X10/DG-xxxW (xxx = 485 - 500, in increment of 5)

132 cells: DHM-66X10/DG(BW)-xxxW (xxx = 485 - 500, in increment of 5)

132 cells: DHM-66X10/DG(BB)-xxxW (xxx = 485 - 500, in increment of 5)

132 cells: DHM-66X10/DG/FS-xxxW (xxx = 485 - 500, in increment of 5)

132 cells: DHM-66X10/DG/FS(BW)-xxxW (xxx = 485 - 500, in increment of 5)

132 cells: DHM-66X10/DG/FS(BB)-xxxW (xxx = 485 - 500, in increment of 5)

120 cells: DHM-60X10/DG-xxxW (xxx = 440 - 455, in increment of 5)

120 cells: DHM-60X10/DG(BW)-xxxW (xxx = 440 - 455, in increment of 5)

120 cells: DHM-60X10/DG(BB)-xxxW (xxx = 440 - 455, in increment of 5)

120 cells: DHM-60X10/DG/FS-xxxW (xxx = 440 - 455, in increment of 5)

120 cells: DHM-60X10/DG/FS(BW)-xxxW (xxx = 440 - 455, in increment of 5)

120 cells: DHM-60X10/DG/FS(BB)-xxxW (xxx = 440 - 455, in increment of 5)

108 cells: DHM-54X10/DG-xxxW (xxx = 400 - 405, in increment of 5)

108 cells: DHM-54X10/DG(BW)-xxxW (xxx = 400 - 405, in increment of 5)

108 cells: DHM-54X10/DG(BB)-xxxW (xxx = 400 - 405, in increment of 5)

108 cells: DHM-54X10/DG/FS-xxxW (xxx = 400 - 405, in increment of 5)

108 cells: DHM-54X10/DG/FS(BW)-xxxW (xxx = 400 - 405, in increment of 5)

108 cells: DHM-54X10/DG/FS(BB)-xxxW (xxx = 400 - 405, in increment of 5)

Remark: xxx indicates output power from the front side only.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Maximum system voltage:	1500V
Fuse rating:	30A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	3600Pa / 1600Pa
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Module types:

Double Glass PV Modules with 182mm TOPCon Mono-crystalline Silicon Half-Cut Bifacial Solar Cells:

- 144 cells: DHN-72X16/DG-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG(BW)-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG(BB)-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG/FS-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(BW)-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(BB)-xxxW (xxx = 560 - 580, in increment of 5)
- 132 cells: DHN-66X16/DG-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG(BW)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG(BB)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(BW)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(BB)-xxxW (xxx = 515 - 530, in increment of 5)
- 120 cells: DHN-60X16/DG-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG(BW)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG(BB)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(BW)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(BB)-xxxW (xxx = 465 - 480, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

108 cells: DHN-54X16/DG-xxxW (xxx = 420 - 435, in increment of 5)
108 cells: DHN-54X16/DG(BW)-xxxW (xxx = 420 - 435, in increment of 5)
108 cells: DHN-54X16/DG(BB)-xxxW (xxx = 420 - 435, in increment of 5)
108 cells: DHN-54X16/DG/FS-xxxW (xxx = 420 - 435, in increment of 5)
108 cells: DHN-54X16/DG/FS(BW)-xxxW (xxx = 420 - 435, in increment of 5)
108 cells: DHN-54X16/DG/FS(BB)-xxxW (xxx = 420 - 435, in increment of 5)

Remark: xxx indicates output power from the front side only.

Maximum system voltage:	1500V
Fuse rating:	30A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	3600Pa / 1600Pa
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Certificate of conformity with the following European Directives

Registered No.:
44 799 23 406749 - 078

Low-Voltage Directive 2014/35/EU

Date of application	File reference	Test report No.	Date of issue	Place of issue
2022-11-12	PVP11054/22P-01	492011902.002	2023-04-03	Essen

This is to certify that the following products comply to the essential requirements of the above mentioned European Directive and the following standards, taking into account the German national deviations:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Type designation: See Annex 1

Applicant: **Anhui Daheng Energy Technology Co., Ltd.**
No.01, Yaoyuan Road, Luyang District,
Hefei City, Anhui Province, P.R. China

Standard(s): EN IEC 61730-1:2018; EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018; EN IEC 61730-2:2018/AC:2018-06

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD CERT GmbH. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity.



Certification Body
Specialist Manager Consumer Products

TÜV NORD CERT GmbH
Am TÜV 1
D-45307 Essen
P.O.Box 10 32 61
D-45032 Essen
Fon: +49 (0)201 825-5120
Fax: +49 (0)201 825-3209
Email: prodcert@tuev-nord.de

Description of product(s):

Module types:

Double Glass PV Modules with 182mm Mono-crystalline Silicon Half-Cut Bifacial Solar Cells:

- 144 cells: DHM-72X10/DG-xxxW (xxx = 530 - 545, in increment of 5)
- 144 cells: DHM-72X10/DG(BW)-xxxW (xxx = 530 - 545, in increment of 5)
- 144 cells: DHM-72X10/DG(BB)-xxxW (xxx = 530 - 545, in increment of 5)
- 144 cells: DHM-72X10/DG/FS-xxxW (xxx = 530 - 545, in increment of 5)
- 144 cells: DHM-72X10/DG/FS(BW)-xxxW (xxx = 530 - 545, in increment of 5)
- 144 cells: DHM-72X10/DG/FS(BB)-xxxW (xxx = 530 - 545, in increment of 5)
- 132 cells: DHM-66X10/DG-xxxW (xxx = 485 - 500, in increment of 5)
- 132 cells: DHM-66X10/DG(BW)-xxxW (xxx = 485 - 500, in increment of 5)
- 132 cells: DHM-66X10/DG(BB)-xxxW (xxx = 485 - 500, in increment of 5)
- 132 cells: DHM-66X10/DG/FS-xxxW (xxx = 485 - 500, in increment of 5)
- 132 cells: DHM-66X10/DG/FS(BW)-xxxW (xxx = 485 - 500, in increment of 5)
- 132 cells: DHM-66X10/DG/FS(BB)-xxxW (xxx = 485 - 500, in increment of 5)
- 120 cells: DHM-60X10/DG-xxxW (xxx = 440 - 455, in increment of 5)
- 120 cells: DHM-60X10/DG(BW)-xxxW (xxx = 440 - 455, in increment of 5)
- 120 cells: DHM-60X10/DG(BB)-xxxW (xxx = 440 - 455, in increment of 5)
- 120 cells: DHM-60X10/DG/FS-xxxW (xxx = 440 - 455, in increment of 5)
- 120 cells: DHM-60X10/DG/FS(BW)-xxxW (xxx = 440 - 455, in increment of 5)
- 120 cells: DHM-60X10/DG/FS(BB)-xxxW (xxx = 440 - 455, in increment of 5)
- 108 cells: DHM-54X10/DG-xxxW (xxx = 400 - 405, in increment of 5)
- 108 cells: DHM-54X10/DG(BW)-xxxW (xxx = 400 - 405, in increment of 5)
- 108 cells: DHM-54X10/DG(BB)-xxxW (xxx = 400 - 405, in increment of 5)
- 108 cells: DHM-54X10/DG/FS-xxxW (xxx = 400 - 405, in increment of 5)
- 108 cells: DHM-54X10/DG/FS(BW)-xxxW (xxx = 400 - 405, in increment of 5)
- 108 cells: DHM-54X10/DG/FS(BB)-xxxW (xxx = 400 - 405, in increment of 5)

Module types:

Double Glass PV Modules with 182mm TOPCon Mono-crystalline Silicon Half-Cut Bifacial Solar Cells:

- 144 cells: DHN-72X16/DG-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG(BW)-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG(BB)-xxxW (xxx = 560 - 580, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

- 144 cells: DHN-72X16/DG/FS-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(BW)-xxxW (xxx = 560 - 580, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(BB)-xxxW (xxx = 560 - 580, in increment of 5)
- 132 cells: DHN-66X16/DG-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG(BW)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG(BB)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(BW)-xxxW (xxx = 515 - 530, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(BB)-xxxW (xxx = 515 - 530, in increment of 5)
- 120 cells: DHN-60X16/DG-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG(BW)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG(BB)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(BW)-xxxW (xxx = 465 - 480, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(BB)-xxxW (xxx = 465 - 480, in increment of 5)
- 108 cells: DHN-54X16/DG-xxxW (xxx = 420 - 435, in increment of 5)
- 108 cells: DHN-54X16/DG(BW)-xxxW (xxx = 420 - 435, in increment of 5)
- 108 cells: DHN-54X16/DG(BB)-xxxW (xxx = 420 - 435, in increment of 5)
- 108 cells: DHN-54X16/DG/FS-xxxW (xxx = 420 - 435, in increment of 5)
- 108 cells: DHN-54X16/DG/FS(BW)-xxxW (xxx = 420 - 435, in increment of 5)
- 108 cells: DHN-54X16/DG/FS(BB)-xxxW (xxx = 420 - 435, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products